

环保建材 绿色传承

Green Building Materials, Green Heritage







广东彬茂新型建筑材料有限公司,是一家专注于高品质板材研发、生产与销 售的综合型企业。公司拥有6个大型现代化生产基地、配备国际先进的生产设备 和智能化管理系统,日产能可达200000㎡,产品涵盖环保"护墙板、户外铝合 金地板、木塑地板"等多个品类,广泛应用于室内装饰、家具制造等领域。

我们始终坚持"绿色环保、品质至上"的理念, 所有产品均符合E0级环保 标准,并通过ISO9001质量管理体系认证等多项国际权威认证。

公司拥有专业的技术研发团队,不断创新工艺,致力于为客户提供高性能、 高品质、环保健康的各种室内外装饰材料。凭借稳定的产品质量、完善的售后 服务和高效的供应链体系,与国内外众多知名企业建立长期合作关系,产品远 销全球多个国家和地区。

未来,我们将继续秉持"匠心制造、合作共赢"的宗旨,为客户创造更大价 值,推动行业可持续发展。

Guangdong Binmao New Building Materials Co., Ltd. is a comprehensive enterprise specializing in the research, development, production, and sales of high-quality panel products. The company operates six large-scale modern manufacturing bases equipped with internationally advanced production facilities and intelligent management systems, achieving a daily production capacity of up to 200,000 square meters. Its product portfolio includes eco-friendly "wall panels, outdoor aluminum alloy flooring, wood-plastic composite flooring," and other categories, widely applied in interior decoration, furniture manufacturing, and other fields.

Adhering to the core philosophy of "green environmental protection and quality excellence," all products comply with E0-grade environmental standards and have obtained international certifications such as the ISO9001 quality management system.

The company boasts a professional R&D team dedicated to innovating manufacturing processes, committed to delivering high-performance, high-quality, eco-friendly, and healthy interior and exterior decoration materials. Backed by stable product quality, comprehensive after-sales services, and an efficient supply chain system. Binmao has established long-term partnerships with numerous renowned domestic and international enterprises, exporting its products to multiple countries and regions worldwide

Looking ahead, we will continue to uphold the principle of "Artisanal Manufacturing, Win-Win Cooperation," striving to create greater value for clients and driving the sustainable development of the industry



企业优势 **Competitive Advantage**

·我们拥有六个最先进的生产基地,严格遵循ISO质量管理体系,坚持优良的品质标准。从原材料的选材到工艺制造制,每个环节做到精心把控,以确保精度 和卓越性。企业通过以人为本,诚信务实的管理理念,敢于创新,追求卓越,不断优化改良,致力于每一件产品都符合国际使用标准!无论是大规模订单,还 是个性化定制,我们都能确保按时保质保量交付!

- •We own six state-of-the-art production bases, strictly adhere to the ISO quality management system, and maintain excellent quality standards.
- •From raw material selection through the manufacturing process, every step is meticulously controlled to ensure precision and excellence.
- •The company adheres to a people-oriented, integrity-based and pragmatic management philosophy, daring to innovate and pursuing excellence. Through continuous optimization and improvement, we are committed to ensuring that every product complies with international standards.
- •Whether it's large-scale orders or personalized customization, we are committed to ensuring on-time delivery while maintaining quality and quantity guarantees!



·我们拥有六个最先进的生产基地,严格遵循ISO质量管理体系,坚持优良的品质标准。从原材料的选材到工艺制造制,每个环节做到精心把控,以确保精度和卓越性。

•We own six state-of-the-art production bases, strictly adhere to the ISO quality management system, and maintain excellent quality standards. From raw material selection through the manufacturing process, every step is meticulously controlled to ensure precision and excellence.




·日产能20万平方米,在制造规模上处于行业领先地位,确保高效可靠的供应。 ·无论是处理大规模订单还是紧急请求,我们都能迅速响应,保证及时交货,帮 助客户保持市场领先地位。



Our 30,000m² state-of-the-art facility integrates R&D, production, and warehousing, providing efficient and flexible one-stop solutions for our customers.

With expansive space and advanced equipment, we ensure large-scale production while maintaining exceptional product quality.











竹木纤维板 Bamboowood Fiberpanel

•竹木纤维板是一种通过高温高压技术精制而成的新型建材,融合了竹子与木材的双重优势,具有 多种优良特性。

·Bamboo wood fiberboard is a new type of building material refined through high-temperature and high-pressure technology, Combining the dual advantages of bamboo and wood, Has multiple excellent characteristics.

产品厚度 Product Thickness	8mm/9mm	产品宽度 Product Width	400mm/600mm
产品等级 Product Grade	优等级 Excellent Level	产品材质 Product Material	竹粉、木粉、钙粉、树脂 Bamboo Powder, Wood Powder, Calcium Powder, Resin
产品高度 Product Height	2440mm/2600mm/2800mm/3000mm 其余尺寸有量可定制 Other sizes can be customized in quantity		

・高强度

High strength

·耐磨、防水、防潮

Wear resistant, Waterproof, and Moisture-proof

·环保无污染

Environmentally friendly and pollution-free

·丰富的颜色、设计和纹理选择

Wide range of color and design/texture.

8mm竹木纤维 (工程板) 400V缝板

8mm Bamboo wood Fiberpanel (Economy Grade) 400 V Shaped Groove

颜色 Color	宽度 Width	高度 Length
可 选 Selectable	400mm	常规 Regular 2.4/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

9mm竹木纤维 (豪装板) 400V缝板

9mm Bamboo wood Fiberpanel (High-End Grade) 400 V Shaped Groove

颜色Color	宽度 Width	高度 Length
可 选 Selectable	400mm	常规 Regular 2.4/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

9mm竹木纤维 (豪装板) 400P直缝板 (也称平缝)

9mm Bamboo and Wood Fiberpanel (High-End Grade) 400 P Straight Seam (also known as flat seam)

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	400mm	常规 Regular 2.4/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity














8mm竹木纤维 (工程板) 600V缝板

8mm Bamboo wood Fiberpanel (Economy Grade) 600 V Shaped Groove

颜色 Color	宽度 Width	高度 Length
可 选 Selectable	600mm	常规 Regular 2.4/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

9mm竹木纤维 (豪装板) 600V缝板

9mm Bamboo wood Fiberpanel (Economy Grade) 600 V Shaped Groove


颜色 Color	宽度 Width	高度 Length
可 选 Selectable	600mm	常规 Regular 2.4/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

9mm竹木纤维 (豪装板) 600P直缝板 (也称平缝)

9mm Bamboo and Wood Fiberpanel (High-End Grade) 600 P Straight Seam (also known as flat seam)

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	600mm	常规 Regular 2.4/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity





高密度基材 抗压 不易变形

High-density substrate, compression-resistant and not prone to deformation.









碳晶板 Carbon Crystal Panel

碳晶板,正式名称为"竹炭共挤饰面板",亦被称作"竹碳板",是一种通过高温挤压工艺精制而成的木塑板。

The carbon crystal panel, officially named the "Bamboo Charcoal Coextruded Decorative Panel" and also referred to as the "Bamboo Carbon Board," is a type of wood-plastic composite board refined through a high-temperature extrusion process.

产品参数 Product Parameters			
产品厚度 Product Thickness	5mm/8mm	产品宽度 Product Width	1220mm
产品等级 Product Grade	优等级 Excellent Level	产品材质 Product Material	竹粉、木粉、树脂、碳晶粉、ABS塑料 Bamboo powder, wood powder, resin, carbon crystal powder, ABS plastic
产品高度 Product Height	2440mm/2600mm/2800mm/3000mm 其余尺寸有量可定制 Other sizes can be customized in quantity		

·高强度

High strength

·耐磨、防水、防潮


Wear resistant, Waterproof, and Moisture-proof

·环保无污染 Environmentally friendly and pollution-free

·丰富的颜色、设计和纹理选择 Wide range of color and design/texture.



5mmCarbon Crystal Panel



8mm碳晶板 (家装板)


8mmCarbon Crystal Panel Residential Grade

颜色 Color	宽 度 Width	高 度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity













8mm碳晶板 (工程板)


8mmCarbon Crystal Panel (Economy Grade)

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity


8mm碳晶板(豪装板)

8mm carbon crystal Panel (luxury board)

颜色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity









防撞板 Anti-Collision Panel

防撞板是一种优良耐热面候性、稳定性强、 抗撞击饰面板!

The impact-resistant panel is an excellent decorative panel with superior heat resistance, weather resistance, high stability, and impact resistance.







·吸收与分散冲击力

Absorbing and dispersing impact force

·防火阻燃

Fireproof and flame retardant

·环保无污染 Environmentally friendly and pollution-free

·丰富的颜色、设计和纹理选择

Wide range of color and design/texture.



5mm防撞板 (定制)

5mmAnit- Collision Panel (Customizable)

颜色Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	有量可定制 Can be customized in quantity

8mm防撞板 (工程板)

8mmAnit- Collision Panel (Economy Grade)

颜色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

8mm防撞板 (豪装板)

8mmAnit- Collision Panel (Premium Grade)

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity



























蜂窝铝板 (墙板、吊顶)

Honeycomb Aluminum Panel (Wall panels, ceiling)

铝蜂窝板是一种复合材料,主要由两层高密度铝板和中间的铝蜂窝芯通过高温高压复合而成。这种结构赋予了铝蜂窝板优异的物理和机械性能:轻质、高强度、刚性好、耐腐蚀、隔热隔音、平整度高等优点。被广泛应用于建筑、交通、航空航天等领域。

Aluminum honeycomb panel is a composite material primarily composed of two layers of high-density aluminum sheets and an aluminum honeycomb core bonded together through high temperature and high pressure. This structural design endows the material with exceptional physical and mechanical properties, including lightweight characteristics, high strength, excellent rigidity, corrosion resistance, thermal insulation, sound insulation capabilities, and superior surface flatness.It is widely utilized across multiple industries such as construction, transportation, and aerospace applications.

产品厚度	7mm/9mm (吊顶 Ceiling)	产品宽度	1220mm
Product Thickness	9mm (墙板 Wall Panels)	Product Width	
产品等级	优等级	产品材质	原生铝
Product Grade	Excellent Level	Product Material	Native Aluminum
产品高度 Product Height	2440mm (吊顶Ceiling) 2800mm/3000mm (墙		

- ·高强度 High strength
- ・耐磨、防水、防潮


Wear resistant, Waterproof, and Moisture-proof

·环保无污染

Environmentally friendly and pollution-free

·丰富的颜色、设计和纹理选择

Wide range of color and design/texture.



7mm蜂窝铝板4*4蜂窝芯 (吊顶)

7mm Honeycomb aluminum panel 4*4 Honeycomb core

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44(m)

9mm蜂窝铝板4*4蜂窝芯 (吊顶)

9mm Honeycomb aluminum panel 4*4 Honeycomb core

颜 色 Color	宽 度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44(m)

9mm蜂窝铝板4*4蜂窝芯 (墙板)

9mm Honeycomb aluminum panel 4*4 Honeycomb core

颜色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.8/3/3.2(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

9mm全铝蜂窝直缝板4*4蜂窝芯 (墙板)

9mm All-aluminum honeycomb straight seam panel 4*4 Honeycomb core

颜色Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.8/3/3.2(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

9mm铝钢板4*4蜂窝芯 (墙板)

9mm Honeycomb aluminum panel 4*4 Honeycomb core(Wall Panel)

颜色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/2.8(m)

9mm铝钢板直缝板4*4蜂窝芯 (墙板)

9mm Honeycomb aluminum straight seam panel 4*4 Honeycomb core (Wall Panel)

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/2.8(m)

单面SPC蜂窝铝板 (墙板)

Single-sided SPC Honeycomb aluminum panel

颜色 Color	宽度 Width	高 度 Length
可 选 Selectable	1220mm	常规 Regular 2.8(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

双面SPC蜂窝铝板(墙板)

Double-sided SPC honeycomb aluminum panel

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.8(m) 其余尺寸有量可定制 Other sizes can be customized in quantity
















高耐磨防刮层

High Wear and Scratch Resistant Layer

肌理质感层


Texture Layer

高清图案层

High Definition Pattern Layer

石晶层

Crystal Layer



产品参数 Product Parameters

产品厚度 Product Thickness 产品宽度

SPC Stone Crystal Wall Panel
SPC石晶墙板是由石塑复合材料(Stone Plastic

Composite) 制成的一种新型建筑装饰材料。其主要成分是精选的天

然大理石粉和高分子晶体材料 (也有说法是其主要成分为石灰粉即碳

酸钙粉+聚氯乙烯PVC),按照专利配方混合后,经过高温高压、挤出

SPC stone crystal wall panels are a new type of architectural decoration material made of Stone Plastic Composite. Its main components are selected natural marble powder and polymer crystal materials (some say its main components are lime powder, namely calcium

1220mm

产品等级 Product Grade 优等级

4 3mm

和复合等工艺,形成坚实的板材。

产品材质

钙粉、树脂粉、天然石灰岩矿石粉、无机水泥 Calcium Powder, Resin Powder, Natural Limestone Ore Powder, Inorganic Cement

产品高度

2440mm/2600mm/2800mm/3000mm 其余尺寸有量可定制 Other sizes can be customized in quantity

环保 Environmental Protection Upgrade 升级





·防火阻燃

Fire Retardant

·耐磨、防水、防潮

Wear resistant, Waterproof, and Moisture-proof

·环保无污染 Environmentally friendly and pollution-free

·丰富的颜色、设计和纹理选择

Wide range of color and design/texture.



3mm石晶墙板

3mm Stone crystal wall panel

颜色Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

4mm石晶墙板

4mm Stone crystal wall panel

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm (Can 600mm Lock)	常规 Regular 2.44/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

5mm石晶墙板

5mm Stone crystal wall panel

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm (Can 600mm Lock)	常规 Regular 2.44/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity


















三胺纸(防火皮)多种颜色

Triamine Paper (fireproof leather) in multiple colors

基材层 (阻燃中纤板)

Substrate Layer (flame retardant medium fiber board)

吸音层

Sound Absorbing Layer









红心阻燃吸音板

Red Core Flame Retardant Sound-absorbing Panels

吸音板是一种专门设计用于吸收声音能量、减少回声和混响的建筑材料,从而改善室内声学环境。

Sound-absorbing panels are specially designed building materials that absorb sound energy, reducing echo and reverberation to enhance indoor acoustics.

产品厚度 Product Thickness		产品宽度 Product Width	197mm
产品等级 Product Grade	优等级 Excellent Level		阻燃中纤板 Flame retardant fiberboard
产品高度 Product Height	2440mm		

★高效吸声

High Sound Absorption

★防火阻燃

Fire Retardant

★耐磨耐刮

Scratch & Wear Resistant

★丰富的颜色、设计和纹理选择

Wide range of color and design/texture.



15mm红芯阻燃吸音板

15mm red core flame retardant sound-absorbing panel

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	132/200mm	常规 Regular 2.44(m)

15mm槽木吸音板

15mm grooved wood sound-absorbing panel

颜色 Color	宽 度 Width	高度 Length
可 选 Selectable	132/200mm	常规 Regular 2.44(m)

15mm陶铝吸音板

15mm ceramic aluminum sound-absorbing panel

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	132/200mm	常规 Regular 2.44(m)

21mm聚酯格栅吸音板

21mm polyester grille sound-absorbing panel

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	600mm	常规 Regular 2.44(m)


















高耐磨防刮层

High Wear and Scratch Resistant Layer

肌理质感层

Texture Layer

高清图案层

High Definition Pattern Layer



UV板 UV-coated panel

UV板是指表面覆盖 UV涂层 (紫外线固化涂层) 的板材。

 $\ensuremath{\mathsf{UV}}$ board refers to a panel with a $\ensuremath{\mathsf{UV}}$ coating (ultraviolet-cured coating) on its surface.









·耐用不褪色

Long-lasting and fade-resistant

·耐磨、防水、防潮 Wear resistant, Waterproof, and Moisture-proof

·环保无污染 Environmentally friendly and pollution-free

·丰富的颜色、设计和纹理选择 Wide range of color and design/texture.



2mmUV板

2mm UV panel

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44(m) 其余尺寸有量可定制 Other sizes can be customized in quantity

3mmUV板

3mm UV panel

颜色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44(m) 其余尺寸有量可定制 Other sizes can be customized in quantity






















冰火板,又称聚酯纤维水泥板,是一种绿色、低碳、节能、环保的饰面板材。

Ice and Fire Panel, also known as polyester fiber cement board, is a green, low-carbon, energy-saving, and eco-friendly decorative panel.

产品厚度 Product Thickness	6mm/8mm	产品宽度 Product Width	1220mm
产品等级 Product Grade	优等级 Excellent Level	产品材质 Product Material	树脂,无石棉纤维,钙粉,纤维水泥,天然石英 Resin, asbestos-free fiber, calcium powder, fiber cement, natural quartz sand
产品高度 Product Height	2440mm/2600mm/28 其余尺寸有量可定制	300mm/3000n	nm

·防火阻燃

Fireproof and Flame-retardant

·耐磨、防水、防潮

Wear resistant, Waterproof, and Moisture-proof

·环保无污染

Environmentally friendly and pollution-free

·丰富的颜色、设计和纹理选择

Wide range of color and design/texture.

6mm冰火板 (医疗洁净板)

6mm Ice and fire panel (medical clean panel)

颜色Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/3(m) 有量可定制 2.6/2.8 m Can be customized in quantity 2.6/2.8m



8mm冰火板 (医疗洁净板)


8mm Ice and fire panel (medical clean panel)


颜色Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/3(m) 有量可定制 2.6/2.8 m Can be customized in quantity 2.6/2.8m



















纳米金刚板 Nano Diamond Panel

纳米金刚板是由纳米级金刚石颗粒压制而成的板材。其晶 粒大小通常在纳米级别,因此具有优异的物理和化学性能。

Nano Diamond Plate is a type of board made by pressing nano-scale diamond particles. Its grain size is typically at the nanometer level, giving it excellent physical and chemical properties.

——————————————————————————————————————	产品参数 Product Parameters				
产品厚度 Product Thickness	5mm/8mm	产品宽度 Product Width	1220mm		
产品等级 Product Grade	优等级 Excellent Level	产品材质 Product Material	纳米级金刚石 Nanoscale Diamon		
产品高度 Product Height	常规 Regular 2.44/2.6/ 其余尺寸有量可定制 Other sizes can be custo				

·高强度、高效散热

High strength, High-efficiency heat dissipation

·耐磨、防水、防潮 Wear resistant, Waterproof, and Moisture-proof

·环保无污染

Environmentally friendly and pollution-free

·丰富的颜色、设计和纹理选择 Wide range of color and design/texture.



5mm纳米金刚板

5mm Nano Diamond Panel

颜色Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	有量可定制 Can be customized in quantity

8mm纳米金刚板

8mm Nano Diamond Panel

颜 色 Color	宽度 Width	高度 Length
可 选 Selectable	1220mm	常规 Regular 2.44/2.6/2.8/3/3.2/3.5(m) 其余尺寸有量可定制 Other sizes can be customized in quantity









广东彬茂新型建筑材料有限公司

Guangdong binmao new building materials co., ltd.